Telefax: +31 (0) 85 - 200 6901



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **Lysis Buffer TS**

Product code: OE0026 Revision date: 24.03.2021 Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Lysis Buffer TS

### Further trade names

Article No. (user):

OE0026

OF00260040

OE00260400

OE00261000

OE00265000

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

specific analysis.

Scientific research and development

## 1.3. Details of the supplier of the safety data sheet

Company name: MolGen B.V. Street: Kazemat 23

Place: NL-3905NR Veenendaal Telephone: +31 (0) 85 - 200 7431

e-mail: info@molgen.com Internet: http://www.molgen.com +31 (0) 85 - 200 7431 1.4. Emergency telephone

number:

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4 Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements: Harmful if swallowed. Causes skin irritation.

Causes serious eye irritation.

### 2.2. Label elements

# Regulation (EC) No. 1272/2008

## Hazard components for labelling

guanidinium chloride; guanadine hydrochloride

Warning Signal word:

Pictograms:



#### **Hazard statements**

H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation.



according to Regulation (EC) No 1907/2006

# **Lysis Buffer TS**

Revision date: 24.03.2021 Product code: OE0026 Page 2 of 9

### **Precautionary statements**

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of waste according to applicable legislation.

### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	,	•		
50-01-1	guanidinium chloride; guanadine hydrochloride				
	200-002-3	607-148-00-0			
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H332 H302 H315 H319				
6381-92-6	ethylenediamine tetraacetic acid disodium salt dihydrate			1 - < 5 %	
	205-358-3		01-2119486775-20		
	Acute Tox. 4, STOT RE 2; H332 H373				

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice.

#### After inhalation

Provide fresh air. If experiencing respiratory symptoms: Get medical advice/attention. If breathing is irregular or stopped, administer artificial respiration.

## After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

## After ingestion

Observe risk of aspiration if vomiting occurs. Do NOT induce vomiting. Rinse mouth immediately and drink 1 glass of of water. Get medical advice/attention if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No 1907/2006

## Lysis Buffer TS

Revision date: 24.03.2021 Product code: OE0026 Page 3 of 9

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Water spray jet, alcohol resistant foam, Dry extinguishing powder, Carbon dioxide (CO2) Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Gases/vapours, irritant, Gases/vapours, toxic

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Move undamaged containers from immediate hazard area if it can be done safely. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Avoid dust formation.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Clean floors and contaminated objects with: Water

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

### Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Avoid dust formation.

### Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

# Hints on joint storage

No information available.

#### Further information on storage conditions

Keep away from heat.

# 7.3. Specific end use(s)

specific analysis.

Scientific research and development



according to Regulation (EC) No 1907/2006

# Lysis Buffer TS

Revision date: 24.03.2021 Product code: OE0026 Page 4 of 9

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
6381-92-6	ethylenediamine tetraacetic acid disodium salt dihydrate			
Worker DNEL, long-term		inhalation	local	1,5 mg/m³
Worker DNEL, acute		inhalation	local	3 mg/m³

#### **PNEC** values

CAS No	Substance		
Environmental compartment Value		Value	
6381-92-6	ethylenediamine tetraacetic acid disodium salt dihydrate		
Freshwater 2,2 mg/l		2,2 mg/l	
Marine water 0,22 mg/l		0,22 mg/l	
Micro-organism	Micro-organisms in sewage treatment plants (STP)  43 mg/l		

#### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls





## Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

### Eye/face protection

Wear eye/face protection.

### **Hand protection**

Wear suitable gloves.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Use of protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection. (EN 149)

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

# **Lysis Buffer TS**

Revision date: 24.03.2021 Product code: OE0026 Page 5 of 9

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: transparent, light yellow

Odour: odourless

pH-Value (at 8.0 °C):

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

100 °C

Flash point:

not determined

not determined

**Flammability** 

Solid: not applicable
Gas: not applicable

**Explosive properties** 

The product is not: Explosive.

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure:not determinedDensity:1,03 g/cm³Water solubility:miscible

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

viscosity / kinematic:

not determined

vapour density:

not determined

not determined

not determined

not determined

not determined

9.2. Other information

Solid content: not determined

No information available.

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.



according to Regulation (EC) No 1907/2006

# Lysis Buffer TS

Revision date: 24.03.2021 Product code: OE0026 Page 6 of 9

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Gases/vapours, irritant, Gases/vapours, toxic

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### **Acute toxicity**

Harmful if swallowed.

#### **ATEmix** calculated

ATE (oral) 1979,2 mg/kg

CAS No	Chemical name	Chemical name						
	Exposure route	Dose		Species	Source	Method		
50-01-1	guanidinium chloride; guanadine hydrochloride							
	oral	LD50 mg/kg	475	Rat	Manufacturer			
	dermal	LD50 mg/kg	> 2000	Rabbit	Manufacturer			
	inhalation vapour	ATE	11 mg/l					
	inhalation (4 h) aerosol	LC50	3,2 mg/l	Rat	Manufacturer			
6381-92-6	ethylenediamine tetraacetic acid disodium salt dihydrate							
	oral	LD50 mg/kg	2800	Rat	Manufacturer			
	inhalation vapour	ATE	11 mg/l					
	inhalation aerosol	ATE	1,5 mg/l					

## Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

# Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

Lysis Buffer TS

Revision date: 24.03.2021 Product code: OE0026 Page 7 of 9

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
6381-92-6	ethylenediamine tetraacetic acid disodium salt dihydrate						
	Acute fish toxicity	LC50	41 mg/l		Lepomis macrochirus (Bluegill)	Manufacturer	
	Fish toxicity	NOEC mg/l	25,7		Brachydanio rerio (zebra-fish)	Manufacturer	

## 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
50-01-1	guanidinium chloride; guanadine hydrochloride	-1,7

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
	ethylenediamine tetraacetic acid disodium salt dihydrate	1,8		Manufacturer

#### 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The product has not been tested.

## 12.6. Other adverse effects

No information available.

### **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### Contaminated packaging

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

Lysis Buffer TS

Revision date: 24.03.2021 Product code: OE0026 Page 8 of 9

14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): < 21 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%



according to Regulation (EC) No 1907/2006

**Lysis Buffer TS** 

Revision date: 24.03.2021 Product code: OE0026 Page 9 of 9

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
LISSS	Harmful if inhalad

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)